L	Hits	Search Text	DB	Time stamp
Number 1	0	710/129.CCLS.	USPAT;	2004/10/18
2 -	2871	709/202-203.CCLS.	EPO USPAT;	11:57
3	1833	709/227-228.CCLS.	EPO USPAT;	11:57 2004/10/18
	22	()	EPO	11:57
4	23	(remote adj proxy) same server same (interface or adapt\$r)	USPAT; EPO	2004/10/18 11:57
5	240	(BUS ADJ CONNECTION\$1) AND (NETWORK ADJ CONNECTION\$1)	USPAT; EPO	2004/10/18
6	321	710/310.ccLs.	USPAT; EPO	2004/10/18
7	16589	710/\$.CCLS.	USPAT; EPO	2004/10/18
8	52	710/\$.CCLS. AND ((BUS ADJ CONNECTION\$1) AND (NETWORK ADJ CONNECTION\$1))	USPAT; EPO	2004/10/18 12:01
9	0	((remote adj proxy) same server same (interface or adapt\$r) ) AND	USPAT; EPO	2004/10/18 12:01
10	0	710/310.CCLS. ((remote adj proxy) same server same	USPAT;	2004/10/18
11	120	(interface or adapt\$r) ) AND 710/\$.CCLS. ORIGIN ADJ SERVER\$1	EPO USPAT;	12:02 2004/10/18
1.2	2		EPO	12:02
12	3	(ORIGIN ADJ SERVER\$1) AND 710/\$.CCLS.	USPAT; EPO	2004/10/18 12:02
13	3	(ORIGIN ADJ SERVER\$1) AND 710/\$.CCLS.	USPAT; EPO	2004/10/18
14	2	(ORIGIN ADJ SERVER\$1) AND ((BUS ADJ CONNECTION\$1) AND (NETWORK ADJ	USPAT; EPO	2004/10/18 12:03
_	40	CONNECTION\$1))   (709/312).CCLS.		2000/04/26
-	222	(709/213).ccls.		14:34 2000/04/26
_	2	(("709/312").CCLS.) AND		14:34 2000/04/26
-	1321	(("709/213").CCLS.) (((INSTANTIAT\$3 OR INSTANCE\$1) SAME VARIABLE\$1) SAME (QUEU\$3 OR BUFFER\$3 OR		14:34 2000/04/26 14:36
_	1	MEMOR\$3)) (("709/312").CCLS.) AND ((((INSTANTIAT\$3 OR INSTANCE\$1) SAME VARIABLE\$1) SAME		2000/04/26 14:37
_	310	(QUEU\$3 OR BUFFER\$3 OR MEMOR\$3))) ((SHARED ADJ1 MEMOR\$3) SAME VARIABLE\$1)		2000/04/26
-	149	((SHARED ADJ1 MEMOR\$3) WITH VARIABLE\$1)		14:38 2000/04/26
-	0	(((SHARED ADJ1 MEMOR\$3) SAME VARIABLE\$1)) same cookie\$1		14:39 2000/04/26 14:38
-	1	(((SHARED ADJ1 MEMOR\$3) SAME VARIABLE\$1)) AND COOKIE\$1		2002/09/26
-	0	(((SHARED ADJ1 MEMOR\$3) WITH VARIABLE\$1))		12:08
-	2	and (("709/312").CCLS.) (("709/312").CCLS.) AND (((SHARED ADJ1		14:40 2000/04/26
_	0	MEMOR\$3) SAME VARIABLE\$1)) ((web adj1 (page\$1 or file\$1 or		14:42
_	117	document\$1)) same (instantiat\$4 or instance\$1) same controller\$1)		14:48
	117	ADJ1 (DOCUMENT\$1 OR PAGE\$1 OR FILE\$1)))		2000/04/26 14:49
-	2	(((INSTANTIAT\$4 OR INSTANCE\$1) SAME (WEB ADJ1 (DOCUMENT\$1 OR PAGE\$1 OR FILE\$1))))	,	2000/04/26 14:50
_	ا ه	SAME ALLOCAT\$4 (((INSTANTIAT\$4 OR INSTANCE\$1) SAME (WEB		2000/04/26
	Ĭ	ADJ1 (DOCUMENT\$1 OR PAGE\$1 OR FILE\$1))))		14:50
-	2	and (("709/312").CCLS.) ((((INSTANTIAT\$4 OR INSTANCE\$1) SAME (WEB		2000/04/26
<u>.</u>		ADJ1 (DOCUMENT\$1 OR PAGE\$1 OR FILE\$1)))) AND (SHARED ADJ1 MEMOR\$3))		14:50

	73371	establish\$3 same connection	<del></del>	USPAT;	2001/01/29
	, , , , , ,	Columnia Same Connection		EPO;	12:23
`				DERWENT;	
				USOCR	
_ •	28	(establish\$3 same connection) ar	nd	USPAT;	2001/01/29
	20	(("6128627"	····	EPO;	12:23
	ł	"6138162"		DERWENT;	12.23
		"6128623"		USOCR	
		"6070184"		OBOCK	
		%070184*   "5941988"			
		"6070187"   "6108782"			
		"6035324"			
		"5898830"			
		"6052788"			
		"5924116"			
		"6065058"			
		"5870562"			
	ļ	"6141653"			
		"6088659"			
		"6098108"			
		"5867667"	·		
		"6085193"			
		"5923756"			
		"5872973"			
		"5987523"			
		"5805805"			
		"6026430"			
		"5884035"			
		"5812552"			-
		"5944793"			
	i	"6085243"			•
		"6128645"			
	1	"5867665"			
		"5862328"			
		"5581552"			
	1	"6115742"			
		"5600644"			
ļ		"6055508"			
		"6020973"			
		"6023684"			
		"6080202"			
		"5974234"	•		
		"5931912"			
		"5950195"			
		"6003084"			·
		"6138150"			
		"6035281"			
		"5920863"			
		3920063   "5991810"			
		3991610   "5287537"		*	
		"5956391"			
		"6105027"			
		"5960404"			•
		"5758074").pn.			
	240			110000	2001 /01 /22
- ·	348	http adj request\$1		USPAT;	2001/01/29
				EPO;	12:23
				DERWENT;	
				USOCR	

	((establish\$3 same connection) and	USPAT;	2001/01/29
	(("6128627"	EPO;	12:24
•	"6138162"	DERWENT;	12.24
	"6128623"	USOCR USOCR	
	"6070184"	030CK	
	"5941988"		
	"6070187"		
	"6108782"		
	"6035324"		
	"5898830"		·
	"6052788"		
	"5924116"		
	"6065058"		
	"5870562"		
	"6141653"		
	"6088659"		
	"6098108"		
•	"5867667"		
	"6085193"		
	"5923756"		
	"5872973"		ļ
	"5987523"		
	"5805805"		
	"6026430"		
	"5884035"		
	"5812552"		
	"5944793"		
	"6085243"		
	"6128645"		
	"5867665"		
	"5862328"		
	"5581552"		
	"6115742"		
	"5600644"		
	"6055508"		
	"6020973"		
	"6023684"		
	"6080202"		
	"5974234"		
	"5931912"		
	"5950195"		
	"6003084"		
	"6138150"		
	"6035281"		
	"5920863"		
	"5991810"		
	"5287537"		
	"5956391"		
	"6105027"		
	"5960404"		
	"5758074").pn.		
	)) and (http adj request\$1)		

-	10	(("6128627"	USPAT;	2001/01/29
		"6138162"	EPO;	12:24
, ,		"6128623"	DERWENT;	12.21
		"6070184"	USOCR	
•		"5941988"	OSOCK	
		"6070187"		
		"6108782"		
		"6035324"		
		"5898830"		
		"6052788"		
		"5924116"		
		"6065058"		
		"5870562"		·
		"6141653"		
		"6088659"		
		"6098108"		
		"5867667"		
		"6085193"		
		"5923756"		
		"5872973"		
		"5987523"	,	
		"5805805"		
		"6026430"		
		"5884035"		
		"5812552"		
		"5944793"		
		"6085243"		
		"6128645"		
		"5867665"		ł
		"5862328"		
		"5581552"		
		"6115742"	ĺ	
		"5600644"		
		"6055508"	i	
		"6020973"		
		"6023684"		
		"6080202"		
		"5974234"		
		"5931912"		
		"5950195"		
		"6003084"		
		"6138150"		
		"6035281"		
		"5920863"		
		"5991810"		
		"5287537"		
		"5956391"		
		"6105027"		
		"5960404"		
		"5758074").pn.		
į		) and (http adj request\$1)	1	1

-	100	("6128627"	USPAT;	2003/06/10
		"6138162"	EPO;	15:52
		"6128623"	DERWENT;	[
		"6070184"	USOCR	
		"5941988"		
		"6070187"		
		"6108782"		
		"6035324"		
		"5898830"	٠.	
		"6052788"		
		"5924116"		
		"6065058"		
		"5870562"		
		"6141653"		
_		"6088659"		
		"6098108"		
		"5867667"		1
		"6085193"		
		"5923756"		
		"5872973"		
		"5987523"		
		"5805805"		· .
		"6026430"		
		"5884035"		
		"5812552"		
		"5944793"		
		"6085243"		
		"6128645"		
		"5867665"		
		"5862328"		
		"5581552"		
		"6115742"		
		"5600644"		
		"6055508"		
		"6020973"		
		"6023684"		
		"6080202"		
		"5974234"		
		"5931912"		
		"5950195"		
		"6003084"		
		"6138150"		
		"6035281"		
		"5920863"		
		"5991810"		
		"5287537"		
		"5956391"		
		"6105027"		
		"5960404"		
		"5758074").pn.		
-	7	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2001/01/29
		("5872919")).PN.	EPO;	12:48
			DERWENT;	
			USOCR	
- 10	2011	((http or (pass adj through) or security	USPAT;	2001/01/29
		or web) adj proxy) or proxy	EPO;	12:49
			DERWENT;	
		·	USOCR	
-	2011	((http or application or (pass adj	USPAT;	2001/01/29
[		through) or security or web) adj proxy)	EPO;	13:34
		or proxy	DERWENT;	
			USOCR	
-	14953	establish\$3 adj connection\$1	USPAT;	2001/01/29
			EPO;	12:50
			DERWENT;	
			USOCR	,
-	2011	((http or application or (pass adj	USPAT;	2001/01/29
		through) or security or web or server)	EPO;	13:39
		adj proxy) or proxy or (proxy adj server)	DERWENT;	
			USOCR	<u> </u>

-	1966	(supervising or supervise or manag\$4 or	USPAT;	2001/01/29
		monitor\$4) adj (connection\$1 or	EPO;	13:36
,		session\$1)	DERWENT;	
			USOCR	
	2011	((http or application or (pass adj	USPAT;	2001/01/29
		through) or security or web or server)	EPO;	13:40
		adj proxy) or proxy or (proxy adj	DERWENT;	
		server\$1)	USOCR	0001 (01 (00
-	47	(((http or application or (pass adj	USPAT;	2001/01/29
		through) or security or web or server)	EPO;	13:41
		adj proxy) or proxy or (proxy adj	DERWENT;	1
		server\$1)) and ((supervising or supervise	USOCR	
		or manag\$4 or monitor\$4) adj (connection\$1 or session\$1)) and		
		(establish\$3 adj connection\$1)		
1_	6	proxy with resid\$3 with (card or	USPAT;	2001/01/29
-	0	interface or adapter)	EPO;	13:42
		Intellace of adaptely	DERWENT;	13.12
			USOCR	1
_	0	proxy with (resid\$3 or embedded) with	USPAT;	2001/02/01
		(adapter or (network adj adapter) or	EPO;	11:06
		(network adj interface) or (network adj	DERWENT;	-=
		card) or nic)	USOCR	
-	43	proxy with (adapter or (network adj	USPAT;	2001/02/01
		adapter) or (network adj interface) or	EPO;	11:19
		(network adj card) or (network adj	DERWENT;	
		controller) or nic)	USOCR	
-	31	(proxy with (adapter or (network adj	USPAT;	2001/02/01
		adapter) or (network adj interface) or	EPO;	11:15
c .		(network adj card) or (network adj	DERWENT;	
		controller) or nic)) and (session\$1 or	USOCR	
		connection\$1)		
<b>-</b> .	808	((709/227) or (709/228)).CCLS.	USPAT;	2001/02/01
	0		EPO;	11:15
1			DERWENT;	
1	2	//	USOCR	2001/02/01
-	3	((proxy with (adapter or (network adj adapter) or (network adj interface) or	USPAT;	2001/02/01
	•	(network adj card) or (network adj	EPO; DERWENT;	11:1/
		controller) or nic)) and (session\$1 or	USOCR	,
		connection\$1)) and ((("709/227") or	OSOCK	
		("709/228")).CCLS.)		
_	13	(("5941988") or ("5924116") or	USPAT;	2001/02/01
	1	("5642482") or ("5872919") or ("5898830")	EPO;	11:19
		or ("5754774")).PN.	DERWENT;	
			USOCR	
-	4	((("5941988") or ("5924116") or	USPAT;	2001/02/01
		("5642482") or ("5872919") or ("5898830")	EPO;	11:21
		or ("5754774")).PN.) and (adapter or	DERWENT;	
	•	(network adj adapter) or (network adj	USOCR	
		interface) or (network adj card) or		
	_	(network adj controller) or nic)		
-	1	((("5941988") or ("5924116") or	USPAT;	2001/02/01
	1	("5642482") or ("5872919") or ("5898830")	EPO;	11:23
		or ("5754774")).PN.) and (adapter or	DERWENT;	
		(network adj adapter) or (network adj	USOCR	
		interface) or (network adj card) or		
	İ	(network adj controller) or nic) and		
_	5	(proxy or proxies) ((("5941988") or ("5924116") or	IICDAM.	2001/02/01
_	3	((("5941988") or ("5924116") or ("5898830")	USPAT; EPO;	11:23
		or ("5754774")).PN.) and (proxy or	DERWENT;	11.43
		proxies)	USOCR	
-	2	("5935249").PN.	USPAT;	2001/10/11
	_	( 0000210	EPO;	10:31
1			DERWENT;	-0.01
			USOCR USOCR	
-	2	(("5935249").PN.) and control\$4	USPAT;	2001/10/11
ł.	_		EPO;	10:31
		•	DERWENT;	
			USOCR	
			·	·

[-	3402	bus adj connection\$1	USPAT;	2002/09/24
			EPO	14:24
-	6415	internal adj bus	USPAT;	2002/09/24
	32550		EPO USPAT	14:01 2002/09/24
_	32550	server\$1	USPAT	14:01
_	40	(bus adj connection\$1) and (internal adj	USPAT	2002/09/24
_	10	bus) and server\$1	OSTAL	14:01
_	2	(bus adj connection\$1) same (internal adj	USPAT	2002/09/24
	_	bus) same server\$1		14:01
1 -	158970	bus adj connection\$1 or (pc adj bus) or	USPAT;	2002/09/24
		bus	EPO	14:26
-	13	(remote adj proxy) same server same	USPAT;	2004/10/18
		(interface or adapt\$r)	EPO	11:57
-	0	(reverse adj proxy)same adapt\$3	USPAT;	2002/09/24
		(-1	EPO	14:28
_	6	proxy same (adapt\$r adj card)	USPAT; EPO	2002/09/24
_	174	(proxy adj server) same interface same	USPAT;	2002/09/24
	1/3	server	EPO	14:29
_	57	(proxy adj server) near20 interface	USPAT;	2002/09/24
		near20 server	EPO	14:29
]	302	remote near5 proxy	USPAT;	2002/09/24
		, .	EPO	14:30
-	1380	(proxy or relay) near5 server	USPAT;	2002/09/24
		<b>,</b> ,	EPO	14:30
-	16	1 ' '	USPAT;	2002/09/24
	1000	embedded	EPO	14:30
-	1282	server\$1 near10 (network adj (adapt\$r or card or interface))	USPAT; EPO	2002/09/24
_	72	((proxy or relay) near5 server) near5	USPAT;	2002/09/24
	, -	(connect\$4 or communicat\$4) near5 request	EPO	14:32
-	О	((proxy adj server) near3 request).ti.	USPAT;	2002/09/24
1			EPO	14:33
-	156	((proxy adj server) near3 request)	USPAT;	2002/09/24
			EPO	14:33
-	14	(((proxy adj server) near3 request))	USPAT;	2002/09/24
		near5 (buffer\$1 or cach\$2)	EPO	14:33
-00	20	(((proxy adj server) near3 request)) near5 (establish\$3 oropen\$ or servic\$3)	USPAT; EPO	2002/09/24
_	1	("5974496").PN.	USPAT	2002/09/24
	_	( 33/4430 ).IN.	OSTAT	15:30
-	885	protocol adj (adapt\$r or interface)	USPAT	2002/09/24
		,		15:47
-	1	("6115755").PN.	USPAT	2002/09/24
				15:54
-	3	(("5550981") or ("5678007") or	USPAT	2002/09/26
	_	("5898830")).PN.		08:22
-	1	("6308238").PN.	USPAT	2002/09/25
_	1	("6115755").PN.	USPAT	13:16   2002/09/25
		( OZIO/OO / .LW.	JULAI	13:16
-	1	(("6115755").PN.) and client\$1	USPAT	2002/09/25
	_	, , , , , , , , , , , , , , , , , , , ,		13:32
-	1	(("6115755").PN.) and bus	USPAT	2002/09/25
				16:09
-	6	reverse adj2 proxy	USPAT	2002/09/25
				16:10
-	3	(reverse adj2 proxy) and bus	USPAT	2002/09/25
_	2	(nlack3 or accumulate3) noons (commet-	IIS D A TO	16:44
_		(plac\$3 or accumulat\$3) near5 (separate adj (transmission\$1 or request\$1 or	USPAT	2002/09/25
		communication\$1)) near5 (buffer or		10.37
		memory)		
-	38	1 * · · · · · · · · · · · · · · · · · ·	USPAT	2002/09/25
		request\$1 or communication\$1)) near5	(	16:48
		(buffer or memory)		
-	46156		USPAT	2002/09/25
		communication\$1) near5 (buffer or memory)		16:49

-	50	((transmission\$1 or request\$1 or	USPAT	2002/09/25
		communication\$1) near5 (buffer or		16:49
		memory)) same proxy		0000/00/05
- "	2	(((transmission\$1 or request\$1 or	USPAT	2002/09/25
		communication\$1) near5 (buffer or		16:50
	,	memory)) same proxy) and (web adj proxy)	HCDAM	2002/09/25
-	3	(((transmission\$1 or request\$1 or	USPAT	18:08
		communication\$1) near5 (buffer or memory)) same proxy) and (web adj cach\$3)	•	18.00
	903	vaughn.xa.	USPAT	2002/09/25
	903	vaugim: xa:	ODIAI	18:08
<u>  -</u>	8	vaughn.xa. and port and identifier	USPAT	2002/09/25
		vaaga. aa peze aa zae		18:10
-	54	establish\$3 near5 (bus adj connection\$1)	USPAT	2002/09/25
				18:17
-	1	(establish\$3 near5 (bus adj	USPAT	2002/09/25
		connection\$1)) same server\$1		18:12
-	2	(establish\$3 near5 (bus adj	USPAT	2002/09/25
		connection\$1)) and proxy and server\$1		18:12
-	11	(establish\$3 near5 (bus adj	USPAT	2002/09/25
		connection(1)) and server(1)		18:12
-	38	terminat\$4 near7 (bus adj connection\$1)	USPAT	2002/09/25
	3	//!!EEE0001!!) on /!!E670007!!) on	USPAT	18:18
-	3	(("5550981") or ("5678007") or ("5898830")).PN.	USPAI	08:22
_	1	((5898830")).PN. ((("5550981") or ("5678007") or	USPAT	2002/09/26
	1	((( 3330381 ) 01 ( 3676007 ) 01 ( "5898830")).PN.) and bus	JULAI	08:24
_	17		USPAT	2002/09/26
		("6138162") or ("6104716") or ("5941988")		08:26
		or ("5924116") or ("5898830") or		1
		("5852717") or ("5832512") or ("5867650")		
		or ("5896508") or ("5974496") or		İ
		("6014695") or ("6072483") or ("6115755")		
		or ("6119161") or ("6122514")).PN.		
-	10	, , , , , , , , , , , , , , , , , , , ,	USPAT	2002/09/26
		("6138162") or ("6104716") or ("5941988")	i	08:48
		or ("5924116") or ("5898830") or		
	1	("5852717") or ("5832512") or ("5867650")		
		or ("5896508") or ("5974496") or ("6014695") or ("6072483") or ("6115755")		
		or ("6119161") or ("6122514")).PN.) and		1
i		bus		1
_	109		USPAT	2002/09/26
				08:52
-	1	······	USPAT	2002/09/26
}		near3 (bus adj connect\$4))		08:50
-	191	(releas\$3 or terminat\$4) near5 ((ethernet	USPAT	2002/09/26
		adj2 bus) or (bus adj connect\$4))		08:54
- ·	301	(releas\$3 or terminat\$4 or (dis adj	USPAT	2002/09/26
		connect\$4) or disconnect\$4) near5		08:57
		((ethernet adj2 bus) or (bus adj		
_	1202	connect\$4))   709/227.ccls. or 709/228.ccls.	USPAT	2002/09/26
	1202	105/221.0013. 01 105/220.0013.	OPENI	08:55
_	0	((releas\$3 or terminat\$4 or (dis adj	USPAT	2002/09/26
-	1	connect\$4) or disconnect\$4) near5		08:55
		((ethernet adj2 bus) or (bus adj		
	1	connect\$4))) and (709/227.ccls. or		
		709/228.ccls.)		
-	0		USPAT	2002/09/26
		connect\$4) or disconnect\$4) near5		08:55
	1	((ethernet adj2 bus) or (bus adj		
	_	connect\$4))) and 709/	110000	2002/02/26
-	7	((===================================	USPAT	2002/09/26
		connect\$4) or disconnect\$4) near5		08:56
		((ethernet adj2 bus) or (bus adj connect\$4))) and 709/\$.ccls.		
_	9345	(releas\$3 or terminat\$4 or (dis adj	USPAT	2002/09/26
	3343	connect\$4) or disconnect\$4) near10	JULAT	09:01
		((ethernet adj2 bus) or (bus adj		3.01
		connect\$4) or bus)		
	<del></del>	to the second se	<del></del>	<u> </u>

_	26	((releas\$3 or terminat\$4 or (dis adj connect\$4) or disconnect\$4) near10	USPAT	2002/09/26 09:02
,		((ethernet adj2 bus) or (bus adj		000,02
		connect\$4) or bus)) and (709/227.ccls. or 709/228.ccls.)		
-	0	(((releas\$3 or terminat\$4 or (dis adj	USPAT	2002/09/26
		connect\$4) or disconnect\$4) near10 ((ethernet adj2 bus) or (bus adj		09:02
		connect\$4) or bus)) and (709/227.ccls. or		
		709/228.ccls.)) and proxy	***************************************	2002/00/26
-	7	<pre>(((releas\$3 or terminat\$4 or (dis adj connect\$4) or disconnect\$4) near10</pre>	USPAT	2002/09/26
		((ethernet adj2 bus) or (bus adj		
	·	connect\$4) or bus)) and (709/227.ccls. or 709/228.ccls.)) and cach\$3		
-	12	proxy and (bus adj releas\$3)	USPAT	2002/09/26
	9	((("5867652") or ("6182141") or	USPAT	09:08
_	,	("6138162") or ("6104716") or ("5941988")	USFAI	09:08
		or ("5924116") or ("5898830") or ("5852717") or ("5832512") or ("5867650")		·
		or ("5896508") or ("5974496") or		
		("6014695") or ("6072483") or ("6115755")		
		or ("6119161") or ("6122514")).PN.) and (HTML or page)		
-	1	6115755.pn.	USPAT	2002/09/26
_	0	6115755.pn. and (HTML or page\$1 or	USPAT	09:09
		document\$1)		11:59
-	1	("5867652").PN.	USPAT	2002/09/26
-	1	(("5867652").PN.) and (web or page or	USPAT	2002/09/26
_	0	html)   (("5867652").PN.) and (filter\$3 or	USPAT;	12:00 2002/09/26
	_	security or authenticat\$4 or password\$1)	EPO	15:02
-	4	(("6094699") or ("6324582") or ("6185598") or ("6330605")).PN.	USPAT	2002/09/26
-	1	("5903763").PN.	USPAT	2002/09/26
_	62	establish\$3 near4 (bus adj connection)	USPAT;	15:23 2003/06/08
		,,,,,,,,	US-PGPUB;	20:10
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	6308238.pn.	USPAT; US-PGPUB;	2003/06/08 20:18
			EPO; JPO;	20.10
			DERWENT; IBM TDB	
-	29	("5550981"   "5642482"   "5678007"	USPAT	2003/06/08
		"5754774"   "5832512"   "5852717"     "5867650"   "5867652"   "5872919"		20:12
		"5896508"   "5898830"   "5924116"		
		"5935249"   ."5941988"   "5974496"     "6014695"   "6072483"   "6088803"		
		"6101328"   "6104716"   "6115755"		
		"6119161"   "6122514"   "6138162"   "6182141"   "6185625"   "6222533"		
		"6237031"   "6247050").PN.		
-	29	("5550981"   "5642482"   "5678007"   "5754774"   "5832512"   "5852717"	USPAT	2003/06/08
		3/34/74		20.17
		"5896508"   "5898830"   "5924116"   "5935249"   "5941988"   "5974496"		
		"6014695"   "6072483"   "6088803"		
		"6101328"   "6104716"   "6115755"   "6119161"   "6122514"   "6138162"		
		"6119161"   "6122514"   "6138162"     "6182141"   "6185625"   "6222533"		
		"6237031"   "6247050").PN.		

	· · · · · · · · · · · · · · · · · · ·		T	1 2 2 2 2 4 2 5 4 2 2
-	15	(("5550981"   "5642482"   "5678007"	USPAT;	2003/06/08
	j	"5754774"   "5832512"   "5852717"	US-PGPUB;	20:18
	1	"5867650"   "5867652"   "5872919"	EPO; JPO;	
		"5896508"   "5898830"   "5924116"	DERWENT;	
		"5935249"   "5941988"   "5974496"	IBM_TDB	
1		"6014695"   "6072483"   "6088803"		
		"6101328"   "6104716"   "6115755"		
1		"6119161"   "6122514"   "6138162"	:	1
		"6182141"   "6185625"   "6222533"		
		"6237031"   "6247050").PN.) and bus		
-	2	6185598.pn.	USPAT;	2003/06/10
			US-PGPUB;	11:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6185598.pn. and reverse	USPAT;	2003/06/10
			US-PGPUB;	12:06
			EPO; JPO;	
			DERWENT;	
İ			IBM_TDB	
-	0	(6185598.pn. and reverse) and bus	USPAT;	2003/06/10
			US-PGPUB;	12:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6115755.pn.	USPAT;	2003/06/10
			US-PGPUB;	12:06
		·	EPO; JPO;	
	<b> </b>	·	DERWENT;	1
			IBM_TDB	
<b>-</b>	2	6115755.pn. and bus	USPAT;	2003/06/10
-			US-PGPUB;	12:06
			EPO; JPO;	j
			DERWENT;	
			IBM_TDB	
-	5961	bus adj connection\$1	USPAT;	2003/06/10
			US-PGPUB;	12:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	859	(bus adj connection\$1) and (reflector\$1	USPAT;	2003/06/10
		or reverse)	US-PGPUB;	12:07
			EPO; JPO;	
			DERWENT;	!
1			IBM_TDB	
-	16	((bus adj connection\$1) and (reflector\$1	USPAT;	2003/06/10
		or reverse)) and proxy	US-PGPUB;	12:20
	ļ		EPO; JPO;	
!			DERWENT;	
			IBM_TDB	
-	90	establish\$3 near5 (bus adj connection\$1)	USPAT;	2003/06/10
			US-PGPUB;	12:22
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	(establish\$3 near5 (bus adj	USPAT;	2003/06/10
		connection\$1)) and (internal adj bus)	US-PGPUB;	12:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	. 29	("5550981"   "5642482"   "5678007"	USPAT	2003/06/10
		"5754774"   "5832512"   "5852717"		15:06
		"5867650"   "5867652"   "5872919"		
[		"5896508"   "5898830"   "5924116"		
		"5935249"   "5941988"   "5974496"	1	
		"6014695"   "6072483"   "6088803"		
]	l i	"6101328"   "6104716"   "6115755"		
		"6119161"   "6122514"   "6138162"		] ,
		"6182141"   "6185625"   "6222533"		
		"6237031"   "6247050").PN.		
			<del></del>	<del></del>

-	1	6185598.pn. and (memory or buffer\$3 or	USPAT;	2003/06/10
		queu\$3 or storage or stor\$3)	US-PGPUB;	14:00
			EPO; JPO;	
			DERWENT;	·
, ,			IBM_TDB	
-	0		USPAT;	2003/06/10
		queu\$3 or storage or stor\$3)) and	US-PGPUB;	12:41
		(terminat\$4 or cancel\$4)	EPO; JPO;	
			DERWENT;	1
	-		IBM TDB	
_	15	microsoft.asn. and reverse and proxy and	USPĀT;	2003/06/10
		server\$1	US-PGPUB;	12:42
			EPO; JPO;	
1			DERWENT;	•
			IBM TDB	
_	226	reverse adj3 server\$1	USPAT;	2003/06/10
}			US-PGPUB;	12:42
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	3	(reverse adj3 server\$1) and	USPAT;	2003/06/10
		microsoft.asn.	US-PGPUB;	12:48
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	' 0	httpd adj accelerat\$4	USPAT;	2003/06/10
1		The same and a second	US-PGPUB;	12:49
			EPO; JPO;	12.13
			DERWENT;	
			IBM TDB	
	0	ibm.asn. and (web adj traffic adj	USPAT;	2003/06/10
_	"		US-PGPUB;	13:09
		express)		13:09
			EPO; JPO;	
			DERWENT;	
	1	1	IBM_TDB	2003/06/10
_	46	levy.inv. and profile and definition\$1	USPAT;	2003/06/10
		•	US-PGPUB;	13:09
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	0000 (06 (10
-	1		USPAT;	2003/06/10
		and (profile adj definition\$1)	US-PGPUB;	13:47
	[		EPO; JPO;	
	[		DERWENT;	
Ì		700/005 1	IBM_TDB	2002/06/12
-	1028	709/225.ccls.	USPAT;	2003/06/10
	[	•	US-PGPUB;	13:48
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/55/55
-	1311	709/229.ccls.	USPAT;	2003/06/10
			US-PGPUB;	13:48
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1835	709/219.ccls.	USPAT;	2003/06/10
1			US-PGPUB;	13:48
	[	·	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	733	709/202.ccls.	USPĀT;	2003/06/10
			US-PGPUB;	13:48
	[		EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	6	(reverse adj3 server\$1) and 709/225.ccls.	USPAT;	2003/06/10
		_	US-PGPUB;	13:49
	1		EPO; JPO;	
			DERWENT;	
	[		IBM TDB	
	1	· · · · · · · · · · · · · · · · · · ·	·	L

-	11	(reverse adj3 server\$1) and 709/229.ccls.	USPAT;	2003/06/10
			US-PGPUB;	13:50
`		•	EPO; JPO;	
· .	ļ		DERWENT;	
'			IBM TDB	
<del>-</del>	9	(reverse adj3 server\$1) and 709/219.ccls.	USPAT;	2003/06/10
		(2000250 aajo 50200242) aaaa 700,22000250	US-PGPUB;	13:50
			EPO; JPO;	
			DERWENT;	
			· ·	
		(	IBM_TDB USPAT;	2003/06/10
_	2	(reverse adj3 server\$1) and 709/202.ccls.	•	13:59
			US-PGPUB;	13:59
	•		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	0	6185598.pn. and (nic or adapter\$1 or	USPAT;	2003/06/10
		interface\$1)	US-PGPUB;	14:00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
l -	178	(reverse adj3 server\$1) and (nic or	USPAT;	2003/06/10
		adapter\$1 or interface\$1)	US-PGPUB;	14:00
		• • •	EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
_	177	((reverse adj3 server\$1) and (nic or	USPAT;	2003/06/10
\	1 1//	adapter\$1 or interface\$1)) and (memory or	US-PGPUB;	14:06
		buffer\$3 or queu\$3 or storage or stor\$3)	EPO; JPO;	17.00
		purrerso or duenso or scorade or scorso)	DERWENT;	
	3.54		IBM_TDB	2002/06/10
-	164	server adj bus	USPAT;	2003/06/10
		•	US-PGPUB;	14:06
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
	0	(server adj bus) and (((reverse adj3	USPAT;	2003/06/10
	]	server\$1) and (nic or adapter\$1 or	US-PGPUB;	14:06
	1	interface\$1)) and (memory or buffer\$3 or	EPO; JPO;	i
		queu\$3 or storage or stor\$3))	DERWENT;	
1111	1		IBM TDB	
_	21	(server adj bus) and proxy	USPAT;	2003/06/10
		, ,	US-PGPUB;	14:58
		•	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	309	origin adj server\$1	USPAT;	2003/06/10
]		Jingin aaj borvoryr	US-PGPUB;	14:58
1			EPO; JPO;	14.50
			1	
	Į.		DERWENT;	
	107	(and single state of the state	IBM_TDB	2002/05/10
-	187	(origin adj server\$1) and (nic or	USPAT;	2003/06/10
		controller\$1 or adapter\$1 or interface)	US-PGPUB;	14:59
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	40	(origin adj server\$1) same (nic or	USPAT;	2003/06/10
		controller\$1 or adapter\$1 or interface)	US-PGPUB;	14:59
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	22	((origin adj server\$1) same (nic or	USPAT;	2003/06/10
		controller\$1 or adapter\$1 or interface))	US-PGPUB;	14:59
}		and proxy	EPO; JPO;	
			DERWENT;	
1			IBM TDB	
1_	1	   (bus adj connection\$1) and (origin adj	USPAT	2003/06/10
		(bus adj connection;) and (offgin adj   server;1)	SPEKI	15:06
_	0	(bus adj connection\$1) and (reverse adj3	IICDATT	
-	"		USPAT	2003/06/10
		server\$1)	*****	15:06
-	42	(bus adj connection\$1) and proxy	USPAT	2003/06/10
	L			15:07

r-	(700	1 due 1 mar	USPAT	2003/06/10
-	6706	internal adj bus	USPAT	
				15:09
- '	33	terminat\$4 near4 (bus adj connection\$1)	USPAT	2003/06/10
				15:10
	52	(releas\$3 or terminat\$4) near6 (bus adj	USPAT	2003/06/10
		connection\$1)		15:11
_	972	709/227.ccls.	USPAT	2003/06/10
				15:11
_	0	((releas\$3 or terminat\$4) near6 (bus adj	USPAT	2003/06/10
	_	connection(1) ) and 709/227.ccls.		15:11
_	11	709/227.ccls. and (bus adj connection\$1)	USPAT	2003/06/10
				15:26
_	1338	establish\$4 near4 (multiple or plural or	USPAT	2003/06/10
}	1330	plurality) near4 (connection\$1 or	001111	15:29
		session\$1)		13.23
_	1	6185598.pn. and (port or channel\$1)	USPAT	2003/06/10
		orossyo.pm. and (port or charmery)	USFAI	15:31
	49	(establish\$4 near4 (multiple or plural or	USPAT	2003/06/10
-	49		USPAI	15:32
		plurality) near4 (connection\$1 or	}	15:32
	_	session(1)) and 709/227.ccls.		0000 406 410
-	7	//organitime /marcific or fracar	USPAT	2003/06/10
		or plurality) near4 (connection\$1 or	,	15:35
		session(1)) and 709/227.ccls.) and		
		(reflector\$1 or prox\$3)		
-	1		USPAT	2003/06/10
		authenticat\$4 or security or encrypt\$4 or		15:47
		token\$1)		
-	3544	stor\$3 near5 (session\$1 or connection\$1)	USPAT	2003/06/10
		near5 (buffer\$1 or memory)		15:49
-	8	(stor\$3 near5 (session\$1 or connection\$1)	USPAT	2003/06/10
		near5 (buffer\$1 or memory)) and		15:50
		709/227.ccls. and (prox\$3 or redirector\$1		
		or reflector\$1)		
		1	l .	<u> </u>

ı	99 ("6128627"	USPAT;	2003/06/10
	"6138162"	EPO;	15:52
.	"6128623"	DERWENT;	13.32
	"6070184"	USOCR	
	"5941988"		
	"6070187"		
	"6108782"		
	"6035324"		
	"5898830"		
	"6052788"		·
	"5924116"		
	"6065058"		
	"5870562"		1
İ	"6141653"		
	"6088659"		
i			
	"6098108"		
	"5867667"		
	"6085193"		1
	"5923756"		
	"5872973"		
	"5987523"		
	"5805805"		
	"6026430"		
	"5884035"		İ
	"5812552"		
	"5944793"	]	1
			1
	"6085243"		
	"6128645"		
	"5867665"		
	"5862328"		
	"5581552"	· ·	
	"6115742"		
	"5600644"		
	"6055508"		
	"6020973"		
	"6023684"		
	"6080202"		
	"5974234"		
	"5931912"		
	"5950195"		
	"6003084"		
	"6138150"		
	"6035281"		İ
	"5920863"		
	"5991810"		
	"5287537"		
	"5956391"		
ł	"6105027"		
	"5960404"		
	"5758074").pn.		
	1 7/78U/4"1 DD	l l	1

- 16	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/06/10
,	"6138162"	EPO;	15:54
	"6128623"	DERWENT;	
.	"6070184"	USOCR	
	"5941988"		
	"6070187"		
	"6108782"		
	"6035324"		
	"5898830"		
	"6052788"		•
	"5924116"		
	"6065058"		·
	"5870562"	1	
	"6141653"		
	"6088659"		
,	"6098108"		
	"5867667"		
	"6085193"		
	"5923756"		
	"5872973"	•	
	"5987523"		
	"5805805"		
	"6026430"		
	"5884035"		
	"5812552"		
	"5944793"		
	"6085243"		
	"6128645"		•
	"5867665"		
	"5862328"		1
	"5581552"		
	"6115742"		
	"5600644"		
	"6055508"		
	"6020973"		
	"6023684"		
	"6080202"		
	"5974234"		
	"5931912"		
	"5950195"		
	"6003084"	1	
	"6138150"		
	"6035281"		
	"5920863"		
	"5991810"		
	"5287537"		
	"5956391"		
	"6105027"		
	"5960404"		
	"5758074").pn.		
	) and buffer\$1 and (session\$1 or		
	connection\$1)		

-	5	((("6128627"	USPAT;	2003/06/10
		"6138162"	EPO;	15:56
,		"6128623"	DERWENT;	
1		"6070184"	USOCR	
		"5941988"		
		"6070187"		ì
		"6108782"		}
		"6035324"		
		"5898830"		
		"6052788"		
		"5924116"		
		"6065058"		
		"5870562"		
		"6141653"		
		"6088659"		
		"6098108"		
		"5867667"		
		"6085193"		
	1			
		"5923756"		
		"5872973"		
		"5987523"		1
		"5805805"		
		"6026430"		
		"5884035"		
		"5812552"		
		"5944793"		
		"6085243"		
		"6128645"		j
ļ		"5867665"		1
		"5862328"		
		"5581552"		
•		"6115742"		
		"5600644"		
		"6055508"		1
ĺ		"6020973"		
		"6023684"		
-		"6080202"		İ
		"5974234"		
		"5931912"		
		"5950195"		
		"6003084"		
		"6138150"		
		"6035281"		
]		"5920863"		
		"5991810"		
		"5287537"		1
		"5956391"		•
		"6105027"		
		"5960404"		
		"5758074").pn.	,	
		) and buffer\$1 and (session\$1 or		
		connection\$1)) and bus		
-	0		USPAT;	2003/06/10
		queue)	EPO;	15:57
		1	DERWENT;	
			USOCR	
_	8966	(proxy or redirector\$1 or reflector\$1)	USPAT;	2003/06/10
		and (adapter or nic or (network adj2	EPO;	17:21
	1	controller) or (network adj2 interface)	DERWENT;	- /
		or usb or isa or (serial adj port\$1) or	USOCR USOCR	
			USUCK	
1_	2	(parallel adj port) or pci or bus)	HCDAM.	2002/06/10
-	2	6182141.pn.	USPAT;	2003/06/10
			EPO;	16:18
			DERWENT;	
			USOCR	
I -	62349	data adj bus	USPAT;	2003/06/10
			EPO;	16:19
			DERWENT;	1
	<u></u>		USOCR	1_

-	2	5935249.pn.	USPAT;	2003/06/10
			EPO;	16:20
			DERWENT;	
			USOCR	
-"	57	(data adj bus) near3 (proxy or server)	USPAT;	2003/06/10
1			EPO;	16:25
			DERWENT;	
	<u> </u>		USOCR	
-	2	6308238.pn.	USPAT;	2003/06/10
]			EPO;	16:32
			DERWENT;	
†			USOCR	
-	29	("5550981"   "5642482"   "5678007"	USPAT	2003/06/10
1		"5754774"   "5832512"   "5852717"		16:26
		"5867650"   "5867652"   "5872919"		•
		"5896508"   "5898830"   "5924116"		, i
		"5935249"   "5941988"   "5974496"		
		"6014695"   "6072483"   "6088803"		
		"6101328"   "6104716"   "6115755"		
		"6119161"   "6122514"   "6138162"	,	
		"6182141"   "6185625"   "6222533"		
		"6237031"   "6247050").PN.		
-	1400	709/224.ccls.	USPAT;	2003/06/10
			EPO;	17:00
			DERWENT;	
			USOCR	
-	1103	709/223.ccls.	USPAT;	2003/06/10
			EPO;	17:00
			DERWENT;	
			USOCR	
<u>-</u>	29		USPAT;	2003/06/10
		bus) or (data adj2 bus))	EPO;	17:06
		·	DERWENT;	
			USOCR	
-	526	((bus adj connection) or ethernet) near8	USPAT;	2003/06/10
		((internal adj bus) or (data adj bus))	EPO;	17:07
			DERWENT;	
			USOCR	
-	31432	(manag\$3 or supervis\$3 or monitor\$3)	USPAT;	2003/06/10
		near10 (session\$1 or connection\$1)	EPO;	17:11
			DERWENT;	·
	•		USOCR	
-	60		USPAT;	2003/06/10
		((internal adj bus) or (data adj bus)))	US-PGPUB;	17:11
		and ((manag\$3 or supervis\$3 or monitor\$3)	EPO; JPO;	
		near10 (session\$1 or connection\$1))	DERWENT;	
			IBM_TDB	
	29	((((bus adj connection) or ethernet)	USPAT;	2003/06/10
		near8 ((internal adj bus) or (data adj	US-PGPUB;	17:15
		bus))) and ((manag\$3 or supervis\$3 or	EPO; JPO;	
		monitor\$3) near10 (session\$1 or	DERWENT;	
		connection(1))) and server(1	IBM_TDB	2002/06/10
-	21	(((bus adj connection) or ethernet) near8	USPAT;	2003/06/10
		((internal adj bus) or (data adj bus)))	US-PGPUB;	17:20
		same server\$1	EPO; JPO;	
			DERWENT;	
	21410	/	IBM_TDB	2002/06/20
-	31418	(proxy or redirector\$1 or reflector\$1)	USPAT;	2003/06/10
		and (adapter or nic or (network adj2	EPO;	17:23
		controller) or (network adj2 interface)	DERWENT;	
		or usb or isa or (serial adj port\$1) or	USOCR	
		(parallel adj port) or pci or internal or bus)		
1_	24881	· '	HCDAT.	2003/06/10
-	74001	(proxy or redirector\$1 or reflector\$1 or server\$1) same (adapter or nic or	USPAT; EPO;	2003/06/10 17:35
		(network adj2 controller) or (network	DERWENT;	17.33
		adj2 interface) or usb or isa or (serial	USOCR	
		adj port\$1) or ethernet or (parallel adj	JOSEK	
		adj ports:   or ethernet or (parallel adj   port) or pci or internal or bus)		
L	L	[ Fore, or her or incernar or has)	l	

					0000 (06 (10
port) or pci or internal or bush and 709/227.ccls. ((manag3 or supervis\$3 or monitor\$3)   USPAT;   2003/06/10   17:36   17:37   17:3		343	(network adj2 controller) or (network adj2 interface) or usb or isa or (serial	DERWENT;	2003/06/10 17:35
128			port) or pci or internal or bus)) and		
- 684 establish\$3 near5 (ethernet or bus) near5 (session or connection)  - 47 (establish\$3 near5 (ethernet or bus) near5 (session or connection)) and enar5 (session or connection)) and (internal adj bus)  - 13 ((establish\$3 near5 (ethernet or bus) near5 (session or connection)) and (internal adj bus)) and server\$1 USDCR USPAT; EPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; USDCR USPAT; U	-	128	near10 (session\$1 or connection\$1)) and (((proxy or redirector\$1 or reflector\$1 or server\$1) same (adapter or nic or (network adj2 controller) or (network adj2 interface) or usb or isa or (serial adj port\$1) or ethernet or (parallel adj port) or pci or internal or bus)) and	EPO; DERWENT;	
near5 (session or connection) and (internal adj bus)   17:38     17:39     17:39     17:39     17:39     17:39     17:39     17:39     17:47   1	_	684	establish\$3 near5 (ethernet or bus) near5	EPO; DERWENT;	
near5 (session or connection) and (internal adj bus) and server\$1	-	47	near5 (session or connection)) and	USPAT; EPO; DERWENT;	1
Server   S	_		near5 (session or connection)) and (internal adj bus)) and server\$1	EPO; DERWENT; USOCR	17:39
EPO; DERWENT; USOCR USPAT; EPO; DERWENT; USOCR USPAT; EPO; DERWENT; USOCR USPAT; EPO; DERWENT; USOCR USPAT; EPO; DERWENT; USOCR USPAT; EPO; DERWENT; USOCR USPAT; EPO; DERWENT; USOCR USPAT; EPO; DERWENT; USOCR USPAT; EPO; JPO; DERWENT; USOCR USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; IBM TDB USPAT; US-PGPUB; ISM TDB USPAT; US-PGPUB; IT:59	_		' ' <del> </del>	EPO; DERWENT;	17:43
Proper   Property	_	129	server adj bus	EPO; DERWENT;	
Session\$1)	_	206	(usb or pci) adj connection	EPO; DERWENT;	
or usb) near5 (session or connection)	_	97373		EPO; DERWENT;	
interface or controller))    Interface or controller)   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; Connection)   Same (nic or (network adj2 (adapter or card or interface or controller)))   US-PGPUB; IBM_TDB   USPAT; US-PGPUB; IT:59   USPAT; US-PGPUB; IT:59   USPAT; US-PGPUB; IT:59   USPAT; IBM_TDB	_	827	establish\$3 near5 (pci or bus or ethernet or usb) near5 (session or connection)	US-PGPUB; EPO; JPO; DERWENT;	
- 52 (establish\$3 near5 (pci or bus or ethernet or usb) near5 (session or connection)) same (nic or (network adj2 (adapter or card or interface or controller)))  - 1487 709/227.ccls.  6 709/227.ccls. and (establish\$3 near5 (pci or bus or ethernet or usb) near5 (session US-PGPUB;  17:58  EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; 17:59	-	53489		US-PGPUB; EPO; JPO; DERWENT;	
- 1487 709/227.ccls. USPAT; 2003/06/10 17:59 17:59  - 6 709/227.ccls. and (establish\$3 near5 (pci USPAT; IBM_TDB USPAT; or bus or ethernet or usb) near5 (session US-PGPUB; 17:59	_	52	ethernet or usb) near5 (session or connection)) same (nic or (network adj2 (adapter or card or interface or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	
- 6 709/227.ccls. and (establish\$3 near5 (pci USPAT; 2003/06/10 or bus or ethernet or usb) near5 (session US-PGPUB; 17:59	-	1487		USPAT; US-PGPUB; EPO; JPO; DERWENT;	
DERWENT; IBM TDB	-	6		USPAT; US-PGPUB; EPO; JPO; DERWENT;	

343					
- 103 establish3 near3 (bus adj2 (session or connection))  - 67 (establish3 near3 (bus adj2 (session or connection))) and @ad<19990924  - 68 establish3 near3 (ethernet adj2 (session or connection)) and @ad<19990924  - 15 (establish3 near3 (ethernet adj2 (session or connection)) and @ad<19990924  - 15 (establish3 near3 (ethernet adj2 (session or connection)) and @ad<19990924  - 2 server near5 (bus adj2 (session or connection)) and @ad<19990924  - 2 server near5 (bus adj2 (session or connection))	_	343	establish\$3 near3 bus near3 (session or	USPAT;	2003/06/10
-			connection)		18:00
103 establish\$3 near3 (bus adj2 (session or connection)   18:06   18					
103 establish3 near3 (bus adj2 (session or connection)   18:06   18:		1			
	l_	103	ostablished moard (bus adid (session or		2003/06/10
BEO. JPO.	-	103			
- 67 (establish\$3 near3 (bus adj2 (session or connection)) and @ad<19990924  - 60 establish\$3 near3 (ethernet adj2 (session or connection)) and gad (session or connection)			Connection,		10.00
Cestablish\$3 near3 (bus adj2 (session or connection)   and @ad<19990924   US-PGPUB; US-PGPUB; US-PGPUB; EPO, JPO; DERWENT; INM TDB USPAT; US-PGPUB; EPO,					
Connection   Dand Quad<  Connection   Uspan   Connection   Uspan   Connection   Uspan   Connection   Dand Quad<  Connection   Uspan   Connection   Uspan   Connection   Uspan   Connection   Uspan   Connection   Uspan   Connection   Uspan					
Connection	<u>-</u>	67	(establish\$3 near3 (bus adi2 (session or		2003/06/10
- 60 establish93 near3 (ethernet adj2 (session or connection) )  - 15 (establish93 near3 (ethernet adj2 (session or connection)) and US-FGPUB; EPG, JPG; Beaventh (session or connection)) and US-FGPUB; EPG, JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; DERWENT; IRM_TDB USPAR; US-FGPUB; BerG, JPG; JPG; JPG; JPG; JPG; JPG; JPG; JPG;			,		
Compaction   Com			-	EPO; JPO;	
- 60 establish33 near3 (ethernet adj2 (session or connection) )				DERWENT;	
Or connection   Septiment				IBM_TDB	
Seport   Property	-	60	establish\$3 near3 (ethernet adj2 (session	USPAT;	
- 15 (establish3 near3 (ethernet adj2 (session or connection)) and (sed - 42 server near5 (bus adj2 (session or connection)) and (session or connection)) and (session or connection)) server; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IB			or connection) )		18:05
15					
15				1	
(session or connection)   ) and (sed   dad<19990924   Server near5 (bus adj2 (session or connection)   )					0000/05/50
Proper   P	-	15			
DERMENT; IBM TDB USPAT; (client or server) near5 (bus adj2 (session or connection))  - 48 (client or server) near5 (bus adj2 (session or connection))  - 25 ((client or server) near5 (bus adj2 (session or connection)) and (session or connection)) and (session or connection)) and (session or connection)) and (session or connection)) and (session or connection)) and (session or connection)) and (session or connection)) and (session or connection)) and (session or connection)) and (session or connection)) and (session or connection)) and (session or connection)) and (session or connection) (session or connection)) and (session or connection) (session					18:01
A2   server near5 (bus adj2 (session or connection)   SPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; (session or connection)   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO;			@ad<19990924		
- 42 server near5 (bus adj2 (session or connection) )  - connection) )  - (client or server) near5 (bus adj2 (session or USPAT; 1EM_TDB (session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection))   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT; 1EM_TDB (Session or connection)   USPAT;			,		
Connection   Con	1_	12	genuer nears (bug adi? (session or		2003/06/10
- 48 (client or server) near5 (bus adj2 USPAT; IBM_TDB USPAT; ISO/ DERWENT; IBM_TDB USPAT; ISO/ DERWENT; IBM_TDB USPAT; ISO/ DERWENT; IBM_TDB USPAT; ISO/ DERWENT; IBM_TDB USPAT; ISO/ DERWENT; IBM_TDB USPAT; ISO/ DERWENT; ISO/	-	42			
- 48 (client or server) near5 (bus adj2 (Session or connection) (Session or co			Connection, ,		10.07
TBM_TDB			·		
- 48 (client or server) near5 (bus adj2 (session or connection))  - 25 ((client or server) near5 (bus adj2 (session or connection))) and (session or connection))) and (session or connection))) and (session or connection))) and (session or connection))) and (sead(19990924)  - 3208 (pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1))  - 11 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  - 12 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  - 13 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  - 14 (network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)  - 16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)) and @ad<19990924  - 16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)) and @ad<19990924  - 2003/06/16 USPAT; USP					
Session or connection   September   Sept	_	48	(client or server) near5 (bus adi2		2003/06/10
Comparison					
DERWENT; IBM TDB USPAT; (session or connection) )) and Gad<19990924  - 3208 (pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)  - 11 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  - 5 bittinger.inv. and csi  - 74 (network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)  - 16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)) and @ad<19990924  - 4 6359894.pn. or 6553422.pn.  DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US			(, ,		
- 25 ((client or server) near5 (bus adj2 (session or connection) )) and (session or connectio					
(session or connection) )) and (ad<19990924   EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERW				IBM TDB	
@ad<19990924	-	25	((client or server) near5 (bus adj2	USPAT;	2003/06/10
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					18:19
- 3208 (pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)  - 11 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  - 12 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  - 2 5 bittinger.inv. and csi  - 3 5 bittinger.inv. and csi  - 4 (network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)  - 16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)  - 3 6 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)  - 4 6359894.pn. or 6553422.pn.  - 4 6359894.pn. or 6553422.pn.    IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			@ad<19990924		
- 3208 (pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)  - 11 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  - 11 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  - 5 bittinger.inv. and csi  - 74 (network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)  - 16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)  - 16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)  - 4 (359894.pn. or 6553422.pn.  - 2003/06/10 18:23  2003/06/10 18:23  2003/06/10 18:23  2003/06/10 18:23  2003/06/10 18:23  2003/06/10 18:23  2003/06/10 18:23  2003/06/11 15:01  2003/06/11 15:01  2003/06/16 07:23  2003/06/16 07:34  2003/06/16 07:34  2003/06/16 07:34  2003/06/16 07:34					
(usb adj port\$1)					( (
The control of the	-	3208	(pci adj slot\$1) or (isa adj slot\$1) or	· ·	
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			(usp adj port\$1)		18:23
TBM_TDB					
11 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  12 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  13 ((pci adj slot\$1) or (isa adj slot\$1) or (usb adj port\$1)) and 709/227.ccls.  14 (pci adj port\$1)) and 709/227.ccls.  15 (pci adj port\$1)) and csi  16 (pci adj port\$1)) and csi  17 (pci adj port\$1)) and csi  18 (pci adj port\$1)  18 (pci adj port\$2  2003/06/16	1			· ·	
(usb adj port\$1)) and 709/227.ccls.	_	11	((pci adi slot\$1) or (isa adi slot\$1) or		2003/06/10
EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/06/11 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/06/16 USPAT; IBM_TDB USPAT; 2003/06/16 USPAT; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PGP					
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT;			, ,		
BM_TDB	1				
- 5 bittinger.inv. and csi				·	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; Server\$1)	_	5	bittinger.inv. and csi		2003/06/11
- 74 (network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)  - 16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)) and (origin adj server\$1)) and @ad<19990924  - 4 6359894.pn. or 6553422.pn.  DERWENT; IBM_TDB USPAT; 2003/06/16 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/06/16 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/06/16 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/06/16 US-PGPUB; EPO; JPO; DERWENT;		İ	_		
THE TOP SET TOP SET OF					
- 74 (network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)  - 16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)) and @ad<19990924  - 4 6359894.pn. or 6553422.pn.  4 6359894.pn. or 6553422.pn.  5 2003/06/16 07:23  2003/06/16 07:23  2003/06/16 07:34  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
adapter or interface)) and (origin adj server\$1)  16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)) and @ad<19990924  17 4 6359894.pn. or 6553422.pn.  2003/06/16 US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
Server\$1)	-	74	, ,		
DERWENT; IBM_TDB USPAT; adapter or interface)) and (origin adj server\$1)) and @ad<19990924  - 4 6359894.pn. or 6553422.pn.  DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;		1			07:23
- 16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)) and @ad<19990924  - 4 6359894.pn. or 6553422.pn.    1BM_TDB			server\$1)	1 .	
- 16 ((network adj2 (card or controller or adapter or interface)) and (origin adj server\$1)) and @ad<19990924			·		
adapter or interface)) and (origin adj server\$1)) and @ad<19990924  - 4 6359894.pn. or 6553422.pn.  4 6359894.pn. or 6553422.pn.  5 07:34  EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;  US-PGPUB; EPO; JPO; DERWENT;		10	//naturally add 2 /	_	2002/06/26
server\$1)) and @ad<19990924  EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; O7:34 EPO; JPO; DERWENT; US-PGPUB; DERWENT;	-	16	'		
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					0/:34
IBM_TDB			Serversill and Gad/13330374		
- 4 6359894.pn. or 6553422.pn. USPAT; 2003/06/16 US-PGPUB; 07:34 EPO; JPO; DERWENT;					
US-PGPUB; 07:34 EPO; JPO; DERWENT;	-	4	6359894.pn. or 6553422.pn.		2003/06/16
EPO; JPO; DERWENT;	1				
DERWENT;	1				

-	2	(6359894.pn. or 6553422.pn.) and proxy	USPAT; US-PGPUB;	2003/06/16 07:35
•			EPO; JPO; DERWENT;	
	_		IBM_TDB	0000 (00) (00)
-	2	((6359894.pn. or 6553422.pn.) and proxy) and (reverse or transparen\$2)	USPAT; US-PGPUB;	2003/06/16 07:35
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	((6359894.pn. or 6553422.pn.) and proxy) and (reverse)	USPAT; US-PGPUB;	2003/06/16
			EPO; JPO; DERWENT;	
•			IBM TDB	
-	310	origin adj server\$1	USPAT;	2003/06/16
			US-PGPUB; EPO; JPO;	08:22
	:		DERWENT;	
	123482	(queu\$3 or memory or buffer or stor\$3)	IBM_TDB USPAT;	2003/06/16
_	123402	near5 (request\$1 or connection\$1)	US-PGPUB;	08:23
		·	EPO; JPO; DERWENT;	
			IBM_TDB	
-	132	((queu\$3 or memory or buffer or stor\$3)	USPAT;	2003/06/16
		near5 (request\$1 or connection\$1)) and (origin adj server\$1)	US-PGPUB; EPO; JPO;	08:23
			DERWENT;	
_	91	(((queu\$3 or memory or buffer or stor\$3)	IBM_TDB USPAT;	2003/06/16
		near5 (request\$1 or connection\$1)) and	US-PGPUB;	08:23
		(origin adj server\$1)) and proxy	EPO; JPO; DERWENT;	
			IBM_TDB	
_	17	<pre>((((queu\$3 or memory or buffer or stor\$3) near5 (request\$1 or connection\$1)) and</pre>	USPAT; US-PGPUB;	2003/06/16
		(origin adj server\$1)) and proxy) and	EPO; JPO;	
		@ad<19990924	DERWENT; IBM TDB	
-	1		USPAT;	2003/06/16
	!	buffer\$3 or queu\$3 or ram)	US-PGPUB; EPO; JPO;	08:35
			DERWENT;	
-	1	6115755.pn. and stor\$3	IBM_TDB USPAT;	2003/06/16
		_	US-PGPUB; EPO; JPO;	09:02
			DERWENT;	
_	2	6185598.pn.	IBM_TDB USPAT;	2003/06/16
	2	01000 90 . pii.	US-PGPUB;	09:02
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	0	6185598.pn. and cach	USPAT; US-PGPUB;	2003/06/16
			EPO; JPO;	
			DERWENT;	
_	1	6185598.pn. and cach\$4 near10 request\$1	USPAT;	2003/06/16
			US-PGPUB; EPO; JPO;	09:02
			DERWENT;	'
_	1	   6185598.pn. and(cach\$4 near10 request\$1)	IBM_TDB   USPAT;	2003/06/16
		,	US-PGPUB;	09:11
		·	EPO; JPO; DERWENT;	
<u></u>			IBM TDB	

-	0	6185598.pn. and termina\$4	USPAT;	2003/06/16
		-	US-PGPUB;	09:11
•			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	6185598.pn. and connect\$4	USPAT;	2003/06/16
•	1	otoosso.pm. and connecety.	US-PGPUB;	09:17
			EPO; JPO;	""
			DERWENT;	
	_		IBM_TDB	0000/06/16
-	1	6185598.pn. and port	USPAT;	2003/06/16
			US-PGPUB;	09:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1	(6359894.pn. or 6553422.pn.) and maximum	USPAT;	2003/06/16
			US-PGPUB;	09:59
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
l <u>-</u>	4	(6359894.pn. or 6553422.pn.) and	USPAT;	2003/06/16
	1	(connection\$1 or session\$1)	US-PGPUB;	10:00
		(Connectional of Sessional)	EPO; JPO;	10.00
			DERWENT;	
	_		IBM_TDB	/
_	2	6389462.pn.	USPAT;	2003/06/16
		•	US-PGPUB;	10:00
			EPO; JPO;	
			DERWENT;	
	•		IBM TDB	
_	1	6389462.pn. and (simultaneous\$2 or	USPĀT;	2003/06/16
		maximum or max)	US-PGPUB;	10:01
		, <del></del>	EPO; JPO;	
	-		DERWENT;	
		• .	IBM TDB	
_	1	6185598.pn. and (simultaneous\$2 or	USPAT;	2003/06/16
-	1		· ·	
		maximum or max)	US-PGPUB;	10:29
			EPO; JPO;	
			DERWENT;	
	ĺ _		IBM_TDB	
_	1	6185598.pn. and exceed\$3	USPAT;	2003/06/16
	1		US-PGPUB;	11:05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	6389462.pn. and disconnect\$3	USPAT;	2003/06/16
			US-PGPUB;	11:05
•			EPO; JPO;	į į
			DERWENT;	
			IBM TDB	
_	n	6389462.pn. and releas\$3	USPAT;	2003/06/16
			US-PGPUB;	11:05
1			EPO; JPO;	
			DERWENT;	
1				
I _		6105500 nn and102	IBM_TDB	2003/06/16
1 -	0	6185598.pn. and releas\$3	USPAT;	2003/06/16
	İ		US-PGPUB;	11:05
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	1	6185598.pn. and disconnect\$3	USPAT;	2003/06/16
			US-PGPUB;	11:09
			EPO; JPO;	
1			DERWENT;	ļ l
			IBM TDB	
-	2	6389462.pn. and persistent	USPAT;	2003/06/16
1	_	<u> </u>	US-PGPUB;	11:09
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
	<u></u>		T T T T T D D	L

_	1	6317885.pn. and (internet or web)	USPAT;	2003/06/17
			US-PGPUB;	11:29
₹1			EPO; JPO;	
			DERWENT;	
1. ~			IBM TDB	,
-	7	internet adj program\$4 adj guide	USPAT;	2003/06/17
,			US-PGPUB;	11:29
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	8	6005597.URPN.	USPAT	2003/06/17
		OUGGS / TONEN.	002111	11:32
_	5	akamba.asn.	USPAT;	2004/02/26
		aramba.asii.	US-PGPUB;	15:10
			EPO; JPO;	13.10
			DERWENT;	
	101	//	IBM_TDB	2004/08/03
_	191		USPAT;	2004/08/03
		near5 buffer\$1	US-PGPUB;	15:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	550		USPAT;	2004/08/03
}		adj prox\$3) or (origin adj (server\$1 or	US-PGPUB;	15:53
		prox\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	270		USPAT;	2004/08/03
	İ	(reverse adj prox\$3) or (origin adj	US-PGPUB;	15:53
ļ	İ	(server\$1 or prox\$3))) and 709/\$.ccls.	EPO; JPO;	
ł		-	DERWENT;	•
			IBM TDB	
-	38	(((nic or card or interface) near4	USPAT;	2004/08/03
		(reverse adj prox\$3) or (origin adj	US-PGPUB;	15:54
		(server\$1 or prox\$3))) and 709/\$.ccls.)	EPO; JPO;	
		and @ad<19990924	DERWENT;	
			IBM TDB	
_	7179	bus adj connection\$1	USPAT;	2004/08/03
		,	US-PGPUB;	15:54
		•	EPO; JPO;	
			DERWENT;	ļ
			IBM TDB	ļ
_	1	(bus adj connection\$1) and ((nic or card	USPAT;	2004/08/03
		or interface) near4 (reverse adj prox\$3)	US-PGPUB;	15:55
		or (origin adj (server\$1 or prox\$3)))	EPO; JPO;	
		(	DERWENT;	
			IBM TDB	
_	2	6308238.URPN.	USPAT	2004/08/03
		0000200.01/14.	JULAI	15:55
_	10	((nic or card or interface) near4	USPAT;	2004/08/03
		(reverse adj prox\$3) or (origin adj	US-PGPUB;	15:55
		(server\$1 or prox\$3))) same bus		10.00
		(Servers) of proxes()) same bus	EPO; JPO; DERWENT;	
_	1	6209229 DM	IBM_TDB	2004/10/19
_	1	6308238.PN.	USPAT;	2004/10/18
	_	TACK MEADS CMIMILITARY THE TRADERY	EPO	09:51
_	3	JACK NEAR3 SMITH.INV. AND HARRELL	USPAT;	2004/10/18
	l		EPO	11:57